

according to 1907/2006/EC, Article 31

Printing date 06.01.2020 Version number 2 Revision: 06.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

KEMPERDUR HB Coating (C) - Trade name:

- 1.2 Relevant identified uses of the substance or mixture and uses advised

Identified use: intended for professional use only!

- Application of the substance / the mixture Additional component Filler/ Extender

- 1.3 Details of the supplier of the safety data sheet

KEMPER SYSTEM GmbH & Co. KG - Manufacturer/Supplier:

Holländische Strasse 32-36

34246 Vellmar

Deutschland / Germany Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110

E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: research & development

- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC)

No 1272/2008 The product is not classified, according to the CLP regulation.

- 2.2 Label elements

- Labelling according to Regulation (EC) No

1272/2008 - Hazard pictograms Void - Signal word Void - Hazard statements

- 2.3 Other hazards

- After skin contact:

- Results of PBT and vPvB assessment

- PBT: Not applicable. - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Mixture: consisting of the following components.

- Dangerous components:

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints. Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye. - After swallowing:

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects,

both acute and delayed No further relevant information available.

(Contd. on page 2)





according to 1907/2006/EC, Article 31

Printing date 06.01.2020 Version number 2 Revision: 06.01.2020

Trade name: KEMPERDUR HB Coating (C)

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

(Contd. of page 1)

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the

substance or mixture - 5.3 Advice for firefighters Formation of toxic gases is possible during heating or in case of fire.

- Protective equipment:

Do not inhale explosion gases or combustion gases.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective

equipment and emergency procedures Wear protective clothing.

Ensure adequate ventilation Avoid contact with skin and eyes

- 6.2 Environmental precautions:

- 6.4 Reference to other sections

- 6.3 Methods and material for containment

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Do not allow product to reach sewage system or any water course.

Do not flush with water or aqueous cleansing agents

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace.

- 7.2 Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and

receptacles:

Store only in the original receptacle.

- Information about storage in one common

storage facility:

Store away from foodstuffs.

Further information about storage

conditions:

Protect from frost.

Keep container tightly sealed.

Store in dry conditions.

Recommended storage temperature: 5-30 °C

- Storage class:

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of

technical facilities: No further data; see item 7.

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

When used properly and under normal conditions, breathing protection is not required. - Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

(Contd. on page 3)

(Contd. of page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.01.2020 Version number 2 Revision: 06.01.2020

Trade name: KEMPERDUR HB Coating (C)

- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the

Selection of the glove material on consideration of the penetration times, rates of diffusion

and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

The determined penetration times according to EN 16523-1:2015 are not performed under practical

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

- Eye protection:

- Penetration time of glove material



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

- Body protection: protective clothing (EN 13034)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance: Solid Form: Colour: White Odour: Odourless - Odour threshold: Not determined

- pH-value at 20 °C:

- Change in condition

Melting point/freezing point: >1600 °C Initial boiling point and boiling range: 2230 °C

- Flash point: Not applicable.

- Flammability (solid, gas): Not determined.

- Decomposition temperature: Not determined.

- Auto-ignition temperature: Product is not selfigniting.

 Explosive properties: Product does not present an explosion hazard.

Not applicable.

- Explosion limits:

Lower: Not determined. Upper: Not determined. - Density at 20 °C: 2.65 g/cm3

- Bulk density at 20 °C: 1400 kg/m³ - Relative density Not determined. Vapour density Not applicable.

- Evaporation rate - Solubility in / Miscibility with

Insoluble.

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

Dynamic: Not applicable. Kinematic: Not applicable.

(Contd. on page 4)





according to 1907/2006/EC, Article 31

Printing date 06.01.2020 Version number 2 Revision: 06.01.2020

Trade name: KEMPERDUR HB Coating (C)

(Contd. of page 3)

- Solvent content:

Organic solvents:

- 9.2 Other information No further relevant information available

SECTION 10: Stability and reactivity

No further relevant information available. - 10.1 Reactivity

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid - 10.5 Incompatible materials:

- 10.6 Hazardous decomposition products:

No decomposition if used according to specifications.

No dangerous reactions known.

No further relevant information available. No further relevant information available. No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met. - Serious eye damage/irritation Based on available data, the classification criteria are not met. - Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met. - Germ cell mutagenicity - Carcinogenicity Based on available data, the classification criteria are not met. - Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. - STOT-single exposure - STOT-repeated exposure Based on available data, the classification criteria are not met. - Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity: No further relevant information available. - 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. - 12.4 Mobility in soil No further relevant information available.

- Additional ecological information:

- General notes: Not hazardous for water.

- 12.5 Results of PBT and vPvB assessment

Not applicable. - vPvB: Not applicable.

- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal according to official regulations

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, ADN, IMDG, IATA

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA Void

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Revision: 06.01.2020 Printing date 06.01.2020 Version number 2

Trade name: KEMPERDUR HB Coating (C)

		(Contd. of page 4)
- 14.3 Transport hazard class(es)		
- ADR, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards: - Marine pollutant:	No	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
- UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation

Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2015/830

- Department issuing SDS: research & development research & development - Contact:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods - Abbreviations and acronyms:

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- Sources - www.echa.europa.eu

- www.baua.de

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:

www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.