

according to 1907/2006/EC, Article 31

Printing date 26.01.2021 Version number 5 Revision: 26.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- UFI:

- Trade name: KEMPEROL 2K-PUR Speedshot

- 1.2 Relevant identified uses of the

substance or mixture and uses advised

Identified use: intended for professional use only!

Application of the substance / the mixture Accelerator
 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: KEMPER SYSTEM GmbH & Co. KG

Holländische Strasse 32-36

6UK7-H0TJ-2006-XRVQ

34246 Vellmar

Deutschland / Germany Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110

E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: research & development

- **1.4 Emergency telephone number:** Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements

- Labelling according to Regulation (EC) No

1272/2008 - Hazard pictograms The product is classified and labelled according to the CLP regulation.



GHS07

- Signal word Warning

Hazard statements
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.

- **Precautionary statements** P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- **Description:** Mixture: consisting of the following components.

- Dangerous components:		
CAS: 3855-32-1	N-[3-(dimethylamino)propyl]-N,N',N'-trimethylpropane-1,3-diamine	0.5-2.5%
EINECS: 223-362-3	Acute Tox. 3, H311; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Aquatic Chronic 3, H412	1
Reg.nr.: 01-2119983518-22		
CAS: 3648-18-8	dioctyltin dilaurate	0.5-2.5%
EINECS: 222-883-3	STOT SE 2, H371	1
Reg.nr.: 01-2119979527-19		

- SVHC

3648-18-8 dioctyltin dilaurate

(Contd. on page 2)





according to 1907/2006/EC, Article 31

Printing date 26.01.2021 Version number 5 Revision: 26.01.2021

Trade name: KEMPEROL 2K-PUR Speedshot

(Contd. of page 1)

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment in case of complaints.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye.

- After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects,

both acute and delayed

- 4.3 Indication of any immediate medical

attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- After eye contact:

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions. - 5.2 Special hazards arising from the

substance or mixture

- 5.3 Advice for firefighters

Formation of toxic gases is possible during heating or in case of fire.

- Protective equipment:

Do not inhale explosion gases or combustion gases.

- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective

equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation Avoid contact with skin and eyes

- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers). Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment

and cleaning up:

- 6.4 Reference to other sections

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- 7.2 Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and

receptacles:

- Information about storage in one common storage facility:

Further information about storage

conditions:

Store only in the original receptacle.

Store away from foodstuffs.

Store in dry conditions.

(Contd. on page 3)

(Contd. of page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2021 Version number 5 Revision: 26.01.2021

Trade name: KEMPEROL 2K-PUR Speedshot

Protect from frost.

Recommended storage temperature: 5-30 °C

Keep container tightly sealed.

- Storage class:

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Additional information about design of

technical facilities: No further data; see item 7. - Ingredients with limit values that require monitoring at the workplace:

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: When used properly and under normal conditions, breathing protection is not required.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition. Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion

and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves Recommended materials:

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

Penetration time (min.): < 480

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

- Penetration time of glove material The determined penetration times according to EN 16523-1:2015 are not performed under practical

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

- As protection from splashes gloves made of

the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.1 \text{ mm}$

Penetration time (min.): < 10

- Eye protection:



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

- Body protection: protective clothing (EN 13034)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Fluid Colour: Blue Odour: Characteristic Odour threshold: Not determined.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 26.01.2021 Version number 5 Revision: 26.01.2021

Trade name: KEMPEROL 2K-PUR Speedshot

	(Contd. of page 3
- pH-value:	Not determined.
- Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. Undetermined.
- Flash point:	175 °C
- Flammability (solid, gas):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not selfigniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits: Lower: Upper:	Not determined. Not determined.
- Density at 20 °C: - Relative density - Vapour density - Evaporation rate	0.85 g/cm³ Not determined. Not determined. Not determined.
- Solubility in / Miscibility with water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
- Solvent content: VOC (EC)	0.00 %
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

No further relevant information available. - 10.1 Reactivity

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:

- 10.5 Incompatible materials:

- 10.3 Possibility of hazardous reactions - 10.4 Conditions to avoid

- 10.6 Hazardous decomposition products:

No decomposition if used according to specifications.

No dangerous reactions known.

No further relevant information available. No further relevant information available. No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

3855-32-1 N-[3-(dimethylamino)propyl]-N,N',N'-trimethylpropane-1,3-diamine

LD50 1,598 mg/kg (rat) Oral Dermal LD50 >569 mg/kg (rab) 1,250 mg/kg (rabbit)

3648-18-8 dioctyltin dilaurate

Oral LD50 6,450 mg/kg (rat) (Drug Research. Vol. 19, Pg.934; 1969)

Dermal LD50 >2,000 mg/kg (rat)

- Primary irritant effect:

- Skin corrosion/irritation Causes skin irritation. - Serious eye damage/irritation Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met. - Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)





according to 1907/2006/EC, Article 31

Printing date 26.01.2021 Version number 5 Revision: 26.01.2021

Trade name: KEMPEROL 2K-PUR Speedshot

(Contd. of page 4)

- Reproductive toxicity Based on available data, the classification criteria are not met. - STOT-single exposure Based on available data, the classification criteria are not met. - STOT-repeated exposure Based on available data, the classification criteria are not met. - Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

3855-32-1 N-[3-(dimethylamino)propyl]-N,N',N'-trimethylpropane-1,3-diamine

LC50/96 h | 100 mg/l (fish)

EC50 >1,000 mg/l (Belebtschlamm) (3h; stat. Test regulation 67/548/EWG; annex V C.11)

IC50 >100 mg/l (ALGAE) EC50 35.4 mg/l (daphnia) EC50 >1,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. No further relevant information available

- 12.4 Mobility in soil

- Additional ecological information:

- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- 12.5 Results of PBT and vPvB assessment

Not applicable. - vPvR· Not applicable.

- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal according to official regulations

- European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number - ADR, ADN, IMDG, IATA Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

- Class Void

- 14.4 Packing group

- ADR, IMDG, IATA Void

- 14.5 Environmental hazards:

- Marine pollutant: No

- 14.6 Special precautions for user Not applicable.

- 14.7 Transport in bulk according to Annex II of Marpol and the IBC

Code Not applicable.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 26.01.2021 Version number 5 Revision: 26.01.2021

Trade name: KEMPEROL 2K-PUR Speedshot

(Contd. of page 5)

- UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I

- REGULATION (EC) No 1907/2006 ANNEX

None of the ingredients is listed. Conditions of restriction: 3

- Regulation (EU) No 649/2012

3648-18-8 dioctyltin dilaurate

Annex I Part 1

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- National regulations:

- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning women of child-bearing age must be observed.

- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

3648-18-8 dioctyltin dilaurate

- 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H371 May cause damage to organs.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS:

- Contact: - Abbreviations and acronyms: research & development research & development ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal docs 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

VPVB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irch: 15: Skin corrosion/irritation – Category 15
Skin Irrit: 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit: 2: Serious eye damage/eye irritation – Category 2
STOT SE 2: Specific target organ toxicity (single exposure) – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- Sources - www.echa.europa.eu

www baua de

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:

- www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp
- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.