

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2015

Version number 1

Revision: 22.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **MEK SOLVENTE**
- **CAS Number:** 78-93-3
- **EC number:** 201-159-0
- **Index number:** 606-002-00-3
- **Registration number:** 01-2119457290-43
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Cleaning material/ Detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** KEMPER SYSTEM GmbH & Co. KG
Holländische Strasse 32-36
34246 Vellmar
Deutschland / Germany
Telefon: +49 (0)561 / 8295-0
Telefax: +49 (0)561 / 8295-5110
E-Mail: MSDS@KEMPER-SYSTEM.COM
- **Further information obtainable from:** Research and Development
- **1.4 Emergency telephone number:** Gifftinformationszentrum der Länder Rheinland-Pfalz und Hessen
Langenbeckstraße 1; Gebäude 601; 55131 Mainz
Tel. Nr.: +49 (0)6131 / 19 24 0
Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
- **Hazard pictograms**

The substance is classified and labelled according to the CLP regulation.



GHS02 GHS07

- **Signal word**
- **Hazard-determining components of labelling:**
- **Hazard statements**

Danger

- **Precautionary statements**

butanone
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

EUH066 Repeated exposure may cause skin dryness or cracking.

- **Additional information:**
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:**

Not applicable.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2015

Version number 1

Revision: 22.05.2015

Trade name: **MEK SOLVENTE**

- vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.1 Chemical characterisation: Substances
 - CAS No. Description 78-93-3 butanone
 - Identification number(s)
 - EC number: 201-159-0
 - Index number: 606-002-00-3

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - After inhalation: Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
 - After skin contact: Immediately wash with water and soap and rinse thoroughly.
 - After eye contact: Rinse opened eye for several minutes under running water.
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 - After swallowing: If symptoms persist consult doctor.
 - 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
 - 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
 Alcohol resistant foam
 ABC powder
 - For safety reasons unsuitable extinguishing agents: Water with full jet
 - 5.2 Special hazards arising from the substance or mixture No further relevant information available.
 - 5.3 Advice for firefighters
 - Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Keep away from ignition sources.
 - 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Prevent from spreading (e.g. by damming-in or oil barriers).
 - 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Ensure adequate ventilation.
 Do not flush with water or aqueous cleansing agents
 - 6.4 Reference to other sections See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Use only in well ventilated areas.
 - Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 - 7.2 Conditions for safe storage, including any incompatibilities
 - Storage: Store in a cool location.
 - Requirements to be met by storerooms and receptacles:
 - Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2015

Version number 1

Revision: 22.05.2015

Trade name: **MEK SOLVENTE**

(Contd. of page 2)

- Further information about storage conditions:

Protect from frost.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

- Storage class:

3

- 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities:

No further data; see item 7.

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

78-93-3 butanone

WEL	Short-term value: 899 mg/m ³ , 300 ppm Long-term value: 600 mg/m ³ , 200 ppm Sk, BMGV
-----	---

- Ingredients with biological limit values:

78-93-3 butanone

BMGV	70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one
------	---

- Additional information:

The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Use suitable respiratory protective device in case of insufficient ventilation.

- Protection of hands:



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Recommended thickness of the material: ≥ 0.7 mm
Synthetic rubber gloves

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- Eye protection:



Tightly sealed goggles

- Body protection:

Protective work clothing
Impervious protective clothing

GB

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2015

Version number 1

Revision: 22.05.2015

Trade name: MEK SOLVENTE

(Contd. of page 3)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form:	Fluid
Colour:	Colourless
- Odour:	Characteristic
- Odour threshold:	Not determined.

- pH-value: Not determined.

- Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	80.5 °C

- Flash point: -4 °C

- Flammability (solid, gaseous): Not applicable.

- Ignition temperature:

Decomposition temperature: Not determined.

- Self-igniting: Not determined.

- Danger of explosion: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

- Density at 20 °C: 0.8 g/cm³

- Relative density: Not determined.

- Vapour density: Not determined.

- Evaporation rate: Not determined.

- Solubility in / Miscibility with

water at 20 °C: 290 g/l

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:

Dynamic at 15 °C:	0.423 mPas
Kinematic:	Not determined.

- Solvent content:

VOC (EC) 100.00 %

- 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions

No dangerous reactions known.

- 10.4 Conditions to avoid

No further relevant information available.

- 10.5 Incompatible materials:

No further relevant information available.

- 10.6 Hazardous decomposition products:

No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity

- LD/LC50 values relevant for classification:

78-93-3 butanone

Oral	LD50	3300 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)
Inhalative	LC50/4 h	40 mg/l (mouse)
		34.5 mg/l (rat)

- Primary irritant effect:

- Skin corrosion/irritation: No irritant effect.

- Serious eye damage/irritation: Irritating effect.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2015

Version number 1

Revision: 22.05.2015

Trade name: **MEK SOLVENTE**

- Respiratory or skin sensitisation

No sensitising effects known.

(Contd. of page 4)

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

78-93-3 butanone

EC50/48 h | 1382 mg/l (daphnia)

LC50/96 h | >3000 mg/l (fish)

- 12.2 Persistence and degradability

No further relevant information available.

- 12.3 Bioaccumulative potential

No further relevant information available.

- 12.4 Mobility in soil

No further relevant information available.

- Additional ecological information:

- General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment

- PBT:

Not applicable.

- vPvB:

Not applicable.

- 12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:

- Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, IMDG, IATA

UN1193

- 14.2 UN proper shipping name

- ADR

- IMDG, IATA

1193 ETHYL METHYL KETONE (METHYL ETHYL KETONE)
ETHYL METHYL KETONE (METHYL ETHYL KETONE)

- 14.3 Transport hazard class(es)

- ADR



- Class

- Label

3 (F1) Flammable liquids.
3

- IMDG, IATA



- Class

- Label

3 Flammable liquids.
3

- 14.4 Packing group

- ADR, IMDG, IATA

II

- 14.5 Environmental hazards:

- Marine pollutant:

No

- 14.6 Special precautions for user

- Danger code (Kemler):

- EMS Number:

Warning: Flammable liquids.
33
F-E,S-D

- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the

IBC Code

Not applicable.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2015

Version number 1

Revision: 22.05.2015

Trade name: MEK SOLVENTE

(Contd. of page 5)

- Transport/Additional information:

<p>- ADR</p> <p>- Limited quantities (LQ)</p> <p>- Excepted quantities (EQ)</p> <p>- Transport category</p> <p>- Tunnel restriction code</p>	<p>1L</p> <p>Code: E2</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 500 ml</p> <p>2</p> <p>D/E</p>
--	---

<p>- IMDG</p> <p>- Limited quantities (LQ)</p> <p>- Excepted quantities (EQ)</p>	<p>1L</p> <p>Code: E2</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 500 ml</p>
---	--

- UN "Model Regulation":	UN1193, ETHYL METHYL KETONE (METHYL ETHYL KETONE), 3, II
---------------------------------	--

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	No further relevant information available.
- 15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing MSDS:	research & development
- Contact:	research & development
- Abbreviations and acronyms:	<p>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society)</p> <p>VOC: Volatile Organic Compounds (USA, EU)</p> <p>LC50: Lethal concentration, 50 percent</p> <p>LD50: Lethal dose, 50 percent</p> <p>Flam. Liq. 2: Flammable liquids, Hazard Category 2</p> <p>Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2</p> <p>STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3</p>